

| UltraPly™ TPO Membrane | | | | | | | |
|--|------------|------------|------------|--------|--------|-----------|---------------|
| Product | Item Code | | | Width | Length | Packaging | Weight |
| | White | Tan | Gray | | | | |
| UltraPly TPO 10' Membrane - .045 | W56TPM3099 | W56TPMT099 | W56TPMG099 | 10' | 100' | N/A | 0.23 lb/sq ft |
| | W56TPM3060 | W56TPMT060 | W56TPMG060 | 5' | 100' | 15/pallet | 0.23 lb/sq ft |
| | W56TPM3299 | --- | --- | 10' | 200' | N/A | 0.23 lb/sq ft |
| | W56TPM3260 | --- | --- | 5' | 200' | 15/pallet | 0.23 lb/sq ft |
| UltraPly TPO 10' Membrane - .060 | W56TPM3699 | W56TPMT699 | W56TPMG699 | 10' | 100' | N/A | 0.31 lb/sq ft |
| | W56TPM3660 | W56TPMT660 | W56TPMG660 | 5' | 100' | 10/pallet | 0.31 lb/sq ft |
| | W56TPM3L99 | --- | --- | 10' | 200' | N/A | 0.31 lb/sq ft |
| | W56TPM3L60 | --- | --- | 5' | 200' | 10/pallet | 0.31 lb/sq ft |
| UltraPly TPO 10' Membrane - .080 Platinum | W56TPM3899 | W56TPMT899 | W56TPMG899 | 10' | 100' | N/A | 0.42 lb/sq ft |
| | W56TPM3860 | W56TPMT860 | W56TPMG860 | 5' | 100' | 10/pallet | 0.42 lb/sq ft |
| UltraPly TPO 8' Membrane - .045 <small>For perimeter sheets use 5' of same membrane thickness</small> | W56TPM3096 | W56TPMT096 | W56TPMG096 | 8' | 100' | 15/pallet | 0.23 lb/sq ft |
| | W56TPM3296 | --- | --- | 8' | 200' | 15/pallet | 0.23 lb/sq ft |
| UltraPly TPO 8' Membrane - .060 <small>For perimeter sheets use 5' of same membrane thickness</small> | W56TPM3696 | W56TPMT696 | W56TPMG696 | 8' | 100' | 10/pallet | 0.31 lb/sq ft |
| | W56TPM3L96 | --- | --- | 8' | 200' | 10/pallet | 0.31 lb/sq ft |
| UltraPly TPO 8' Membrane - .080 Platinum | W56TPM3896 | W56TPMT896 | W56TPMG896 | 8' | 100' | 10/pallet | 0.42 lb/sq ft |
| UltraPly TPO 12' 4" Membrane - .045 | W56TPM309W | W56TPMT09W | W56TPMG09W | 12' 4" | 100' | N/A | 0.23 lb/sq ft |
| | W56TPM3074 | W56TPMT074 | W56TPMG074 | 6' 2" | 100' | 10/pallet | 0.23 lb/sq ft |
| | W56TPM309X | --- | --- | 12' 4" | 200' | N/A | 0.23 lb/sq ft |
| UltraPly TPO 12' 4" Membrane - .060 | W56TPM369W | W56TPMT69W | W56TPMG69W | 12' 4" | 100' | N/A | 0.31 lb/sq ft |
| | W56TPM3674 | W56TPMT674 | W56TPMG674 | 6' 2" | 100' | 10/pallet | 0.31 lb/sq ft |
| | W56TPM369X | --- | --- | 12' 4" | 200' | N/A | 0.31 lb/sq ft |
| UltraPly TPO 12' 4" Membrane - .080 Platinum | W56TPM389W | --- | --- | 12' 4" | 100' | N/A | 0.42 lb/sq ft |
| | W56TPM3874 | --- | --- | 6' 2" | 100' | 6/pallet | 0.42 lb/sq ft |
| UltraPly TPO XR 100 Membrane - .045 | W56TXR3099 | W56TXRT099 | W56TXRG099 | 10' | 100' | N/A | 0.27 lb/sq ft |
| UltraPly TPO XR 115 Membrane - .060 | W56TXR3699 | W56TXRT699 | W56TXRG699 | 10' | 100' | N/A | 0.32 lb/sq ft |
| UltraPly TPO XR 135 Membrane - .080 | W56TXR3Y99 | | | 10' | 50' | N/A | 0.38 lb/sq ft |
| UltraPly TPO SA 5' Membrane - .060 | W56TSA3660 | W56TSAT660 | W56TSAG660 | 5' | 100' | N/A | .36 lb/sq ft |
| UltraPly TPO SA 10' Membrane - .060 | W56TSA3699 | W56TSAT699 | W56TSAG669 | 10' | 100' | N/A | .36 lb/sq ft |

| UltraPly™ TPO Flashing and Accessories | | | | | | | | |
|--|------------|------------|------------|----------------|--------------------------|--------------------------|------------------------|-----|
| Product | Item Code | | | Size | Packaging | Weight | Approx. Coverage Rates | |
| | White | Tan | Gray | | | | | |
| UltraPly TPO Coated Metal | W56TPO3023 | W56TPOT023 | W56TPOG023 | 4' x 10' sheet | 10 sheets/pallet | 67 lb/sheet | --- | |
| UltraPly TPO Walkway Pad | W56TPO3024 | --- | --- | 0.156" thick | 30" x 50' roll | 0.59 lbs/sq ft | 125 sq ft | |
| UltraPly TPO X-Tread Walkway Pad (white) | W56TPO301X | | | 0.540" thick | 30" x 30' roll | 1.3 lbs/sq ft | 75 sq ft | |
| UltraPly TPO 8" Cover Strip - .060 | W56TPO3S08 | W56TPO3S08 | W56TPOGS08 | 8" x 50' | 2 rolls/ctn | 23 lb/ctn | 100 lin ft | |
| UltraPly TPO Inside/Outside Molded Corners | W56TPO301C | W56TPOT01C | W56TPOG01C | --- | 20 corners/ctn | 8 lb/ctn | --- | |
| UltraPly TPO T-Joint Covers | W56TPO3027 | W56TPOT027 | W56TPOG027 | 4" x 4" | 100/ctn | 4 lb/ctn | --- | |
| UltraPly TPO Universal Pipe Flashing | W56TPO301U | W56TPOT01U | W56TPOG01U | 1" to 6" | 10 boots & 10 clamps/ctn | 15 lb/ctn | --- | |
| UltraPly TPO Large Pipe Flashing | W56TPO3013 | W56TPOT013 | W56TPOG013 | 6" to 8" | 10 boots & 10 clamps/ctn | 16 lb/ctn | --- | |
| UltraPly TPO Split Pipe Boots | Small | W56TPO3SB3 | W56TPO3SB3 | W56TPOGSB3 | 1" to 3" | 10 boots & 10 clamps/ctn | 8 lb/ctn | --- |
| | Medium | W56TPO3SB6 | W56TPO3SB6 | W56TPOGSB6 | 3" to 5½" | 10 boots & 10 clamps/ctn | 10 lb/ctn | --- |
| | Large | W56TPO3SB9 | W56TPO3SB9 | W56TPOGSB9 | 5½" to 8" | 10 boots & 10 clamps/ctn | 14 lb/ctn | --- |
| UltraPly TPO Penetration Pockets | W56TPO301L | W56TPOT01L | W56TPOG01L | --- | 6 Pockets/Kit | 7 lb/ctn | --- | |
| UltraPly TPO Reinforced Curb Corners | W56TPO3C07 | W56TPOTC07 | W56TPOGC07 | 7" | 12 corners/ctn | 7 lb/ctn | 3 curbs | |
| | W56TPO3C13 | W56TPOTC13 | W56TPOGC13 | 13" | 12 corners/ctn | 11 lb/ctn | 3 curbs | |
| | W56TPO3C19 | W56TPOTC19 | W56TPOGC19 | 19" | 12 corners/ctn | 16 lb/ctn | 3 curbs | |
| | W56TPO3C25 | W56TPOTC25 | W56TPOGC25 | 25" | 12 corners/ctn | 20 lb/ctn | 3 curbs | |
| | W56TPO3C31 | W56TPOTC31 | W56TPOGC31 | 31" | 12 corners/ctn | 24 lb/ctn | 3 curbs | |
| | W56TPO3C37 | W56TPOTC37 | W56TPOGC37 | 37" | 12 corners/ctn | 29 lb/ctn | 3 curbs | |
| UltraPly TPO Unsupported Flashing - .060 | W56TPO3017 | W56TPOT017 | W56TPOG017 | 24" | 50' roll | 30 rolls/pallet | 20 lb/roll | |
| UltraPly TPO 18" Curb Flashing | W56TPO3018 | --- | --- | 18" | 50' roll | 45 rolls/pallet | 25 lb/roll | |

| UltraPly QuickSeam™ Flashing and Accessories | | | | | | | |
|---|------------|------------|------------|------------|--------------------------|-----------|------------------------|
| Product | Item Code | | | Size | Packaging | Weight | Approx. Coverage Rates |
| | White | Tan | Gray | | | | |
| UltraPly QuickSeam RMA Strip | W56TPO30T0 | --- | --- | 10" x 100' | 1 roll/ctn | 32 lb/ctn | 100 lin ft |
| UltraPly QuickSeam RPF Strip | W56TPO30T1 | --- | --- | 6" | 2 rolls/ctn | 34 lb/ctn | 200 lin ft |
| UltraPly TPO 5½" QuickSeam Flashing | W56TPO30T7 | W56TPOT0T7 | W56TPOG0T7 | 5½" x 100' | 2 rolls/ctn | 30 lb/ctn | 200 lin ft |
| UltraPly TPO 9½" QuickSeam Flashing | W56TPO30T9 | W56TPOT0T9 | W56TPOG0T9 | 9½" x 100' | 1 roll/ctn | 26 lb/ctn | 100 lin ft |
| UltraPly QuickSeam Pipe Boot | W56TPO3033 | --- | --- | 1" to 6¾" | 10 boots & 10 clamps/ctn | 15 lb/ctn | --- |
| UltraPly QuickSeam Outside Corner | W56TPO3031 | --- | --- | --- | 20 corners/ctn | 8 lb/ctn | --- |
| UltraPly QuickSeam T-Joint Covers | W56TPO3034 | --- | --- | 4" x 4" | 100/ctn | 4 lb/ctn | --- |

Subject to change without notice.

UltraPly™ TPO Adhesives and Sealants

| Product | Item Code | Size | Packaging | Weight | Approx. Coverage Rates |
|---|----------------------|---|-----------------|-------------|------------------------|
| Single-Ply QuickPrime Primer | W56358704A | 3 gal pail | 75 pails/pallet | 24 lb/pail | 200-225 sq ft/gal |
| UltraPly TPO Cut Edge Sealant | White W56TPO3001 | 2 gal w/4 bottles | 64 ctns/pallet | 14 lb/ctn | 600 lin ft/gal |
| | Tan W56TPO001 | | | | |
| | Gray W56TPOG001 | | | | |
| UltraPly TPO Cut Edge Sealant LVOC | White W56TPO3001C | 2 gal w/4 bottles Unit of measure is Carton. | 64 ctns/pallet | 14 lb/ctn | |
| | Tan W56TPO001C | | | | |
| | Gray W56TPOG001C | | | | |
| UltraPly TPO General Purpose Sealant | White W56TPO3002 | 25 tubes/ctn | 60 ctns/pallet | 18 lb/ctn | 50 ft/tube |
| UltraPly Bonding Adhesive | W56TPO3005 | 5 gal pail | --- | 41 lbs/pail | 45-60 sq ft/gal |
| Single-Ply LVOC Bonding Adhesive | W56358715L | 5 gal pail | --- | 40 lbs/pail | 45-60 sq ft/gal |
| Single-Ply LVOC Bonding Adhesive - 1168 | W56358705LC | 5 gal pail | --- | 45 lbs/pail | 45-60 sq ft/gal |
| Water Based Bonding Adhesive | W563587038 | 5 gal pail | --- | 48 lbs/pail | 100-125 sq ft/gal |
| XR Bonding Adhesive | W56TPO3009 | 5 gal pail | --- | 41 lbs/pail | 70-85 sq ft/gal |
| XR Stick™ Membrane Adhesive | W56TPO3400 | Carton | 48 per pallet | See TIS | 20 lbs |
| XR Stick™ Membrane Adhesive - Part 1 | W56TPO3401 | 5 Ga Box | 32 per pallet | See TIS | 52 lbs |
| XR Stick™ Membrane Adhesive - Part 2 | W56TPO3402 | 5 Ga Box | 32 per pallet | See TIS | 43 lbs |

UltraPly TPO Attachment Accessories

| Product | Item Code | Description | Packaging | Weight |
|--|---------------|-------------|-----------|------------|
| HD Plus Seam Plate (For use with HD Plus Fasteners only) | W56TPOPL02 | 2 ¾" | 500/pail | 31 lb/pail |
| HD Seam Plate (stacked) | W56TPOPL03 | 2 ¾" | 1000/pail | 48 lb/pail |
| InvisiWeld™ Plates | W56TPOPL04 | 3" | 500/pail | 35 lb/pail |
| Pre-Assembled HD Fasteners with HD Seam Plates | W56TPO3103 | 3" | 250/ctn | 38 lb/ctn |
| | W56TPO3104 | 4" | 250/ctn | 21 lb/ctn |
| | W56TPO3105 | 5" | 250/ctn | 24 lb/ctn |
| | W56TPO3106 | 6" | 250/ctn | 26 lb/ctn |
| | W56TPO3107 ** | 7" | 250/ctn | 29 lb/ctn |
| | W56TPO3108 ** | 8" | 250/ctn | 31 lb/ctn |
| | W56TPO3110 ** | 10" | 125/ctn | 18 lb/ctn |

Subject to change without notice.

** Items available as a direct shipment from vendor.